



**ALL PHASE BALANCER PELLETS**

**BALANCE EACH  
STAGE OF YOUR  
HORSE'S LIFE**



# ALL PHASE BALANCER PELLETS

## FOR OPTIMUM GROWTH AND REPRODUCTION IN BROODMARES, STALLIONS AND YOUNG STOCK FOR ALL STAGES OF THEIR LIVES

**All Phase Balancer Pellets** is a scientifically formulated, low calorie feed to ensure a highly concentrated source of quality protein containing:

- Essential amino acids
- Vitamins
- Antioxidants
- Minerals
- Chromium
- Yeast culture

It is suitable for breeding, growing, performance and spelling horses.

## FEEDING RECOMMENDATIONS (DAILY BASIS)

Foals	250 g – 500 g
Weanlings	500 g – 750 g
Yearlings and Performance horses	500 g – 1 kg
Good Doers and Laminitic horses	500 g – 1 kg
Breeding stallions	750 g – 1 kg
Lactating and Pregnant mares	1 – 1.5 kg

The above table is a guideline only, and the amount fed should be adjusted according to the horse's temperament, age, condition and workload.

## FEEDING DIRECTIONS

- Over a period of 7 – 10 days, gradually introduce **All Phase Balancer pellets** to the horse's diet.
- **All Phase Balancer** may be fed alone or mixed with grain or chaff.
- Do not feed more than 2.5 kg of additional grain per feed.
- **All Phase Balancer** can be fed as the sole feed for horses that do not require extra energy from grain. It should be fed in conjunction with a minimum of 1% of body weight (e.g 5 kg **All Phase Balancer** for 500 kg horse) of quality roughage (chaff or hay) for optimal hindgut health.
- If young horses gain too much weight or suffer from Developmental Orthopaedic Diseases (DOD), **All Phase Balancer** can be fed as the sole feed to slow growth rates while still providing the horse with the necessary protein, vitamins and minerals.

## KEY PRODUCT FEATURES AND BENEFITS

- **25% Protein** – very high protein content as well as a high quality amino acid profile to meet the requirements of growing and breeding horses.
- **Low calories** – can be fed alone as a protein, vitamin and mineral supplement to horses that do not require extra energy.
- **Fully fortified** – meets all the protein, vitamin and mineral requirements of growing, breeding and performance horses to supplement home grain mix diets, pasture and roughage.
- **Convenient low dose** – allows flexibility to add grains (see **Oat Balancer Concentrate**) and to meet individual needs.
- **“Easy-to-Feed” Pellets** – cost- and feed-effective as it reduces sifting of powdered vitamins, minerals and amino acids, and provides for uniform dispersion when mixed with other feedstuffs.
- **Optimum balance of macro minerals** – natural calcium, phosphorus and magnesium to increase structural bone integrity and muscle strength. Magnesium requirements are higher for horses with a demanding physical regime.
- **Bio-available trace minerals** – copper, zinc and manganese to increase the bioavailability of these critical elements needed for proper skeletal development.
- **Bio-available selenium** – a highly available source of this essential element which is key for optimum mare reproduction and foal immunity.
- **Live yeast culture** – enhances fibre digestion in the large intestine.

## ALL PHASE BALANCER IN A FOAL STUD PROGRAMME

### ALL PHASE BALANCER PELLETS: Daily Feeding Guide

MAINTENANCE OR EARLY PREGNANT MARE (1 - 8 MONTHS)					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.75	1	1.25	1.5
Lucerne hay or chaff	1	1.25 - 1.5	1.5 - 2	2 - 2.5	2.5 - 3
Oat hay or pasture	1.5+	3.5+	5+	6+	7.25+
Grain (e.g. oat)	-	0.75	0.5 - 1	0.75 - 1.25	1.25
LATE PREGNANT MARE (9 - 11 MONTHS)					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.75	1	1.25	1.5
Lucerne hay or chaff	1	1.75 - 2	2 - 2.5	2.5 - 3	3 - 3.5
Oat hay or pasture	1.5	3+	5+	6+	7.25+
Grain (e.g. oat)	0.25	0.5 - 0.75	1	1 - 1.5	1.25
LACTATING MARE					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.75	1.5	1.75	2	2.5
Lucerne hay or chaff	1.25	2.5 - 2.75	3 - 3.5	4 - 4.5	4.75 - 5.5
Oat hay or pasture	1.5+	3.75+	5+	5.5+	6.5+
Grain (e.g. oat)	0.5 - 1	1 - 1.25	1.25 - 1.75	2	2.5 - 3.75
WEANLING 4 - 6 MONTHS					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.5	1	1.25	1.5
Lucerne hay or chaff	0.5	0.75 - 1.25	1 - 1.25	1.5 - 1.75	1.75 - 2
Oat hay or pasture	0.5 +	0.75+	1+	1+	1.25+
Grain (e.g. oat)	0.5	0.75 - 1.25	1 - 1.5	0.75 - 1.75	1.0 - 2

# ALL PHASE BALANCER IN A FOAL STUD PROGRAMME CONTINUED

## ALL PHASE BALANCER PELLETS: Daily Feeding Guide

WEANING 6 - 12 MONTHS					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.75	1	1.25	1.5
Lucerne hay or chaff	0.5 - 0.75	1 - 1.5	1.5 - 2	1.75 - 1.2.5	2.5 - 3
Oat hay or pasture	0.5+	1.25+	1.5+	1.5+	2.5+
Grain (e.g. oat)	0.5	0.75 - 1.25	1 - 1.5	1.5 - 1.75	1.5 - 2
YEARLING					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.75	0.75	1	1.25
Lucerne hay or chaff	0.75	1.25 - 1.75	2 - 2.5	2.5 - 3	3 - 3.5
Oat hay or pasture	1.0	2+	2.5+	3+	4+
Grain (e.g. oat)	0.25	0.75 - 1.25	1.25 - 1.75	1.75 - 2	1.75 - 2.5
TWO-YEAR-OLD – MAINTENANCE					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	0.75	1	1.5	1.75
Lucerne hay or chaff	0.75	1.5 - 1.75	2 - 2.5	2.5 - 3	2.75 - 3
Oat hay or pasture	1.75	3+	4+	5+	6+
Grain (e.g. oat)	-	0.75 - 1	0.75 - 1	0.75 - 1.25	1 - 1.25
LIGHT WORK					
Body weight	150 kg	300 kg	400 kg	500 kg	600 kg
<b>All Phase Balancer</b>	0.5	1	1.25	1.25	1.5
Lucerne hay or chaff	0.75 - 1	1.0 - 2	1.5 - 2.5	2.0 - 3	2.5 - 3.5
Oat hay or pasture	1.75+	3.25+	4.5+	5+	6+
Grain (e.g. oat)	Up to 0.25	0.75 - 1.25	0.75 - 1.75	1.75 - 2.75	2.0 - 3

Roughage (hay, hay and pasture) should be fed at 1 - 1.5% of body weight. The above quantities are a guide only. Total daily feed (concentrate + roughage) should be 2 - 3% of body weight depending on age, stage of pregnancy or lactation.



# USE OF ALL PHASE BALANCER PELLETS

## BROODMARES, STALLIONS AND YOUNG STOCK

- Unique balancer for optimum growth and reproduction.
- Contains high spec vitamins and bio-available trace minerals (copper, zinc, manganese, selenium) to aid strong bone formation and good muscle development, as well as reducing the risk of nutrition related DOD (Developmental Orthopaedic Diseases).
- Provides optimum fertility in stallions and broodmares.
- Has a low starch, high nutrient formula without the calories for controlled growth rates.
- Can be fed alone to young, growing horses suffering from DOD (physitis, contracted tendons, osteochondrosis) where obesity is a contributory factor.

## PERFORMANCE HORSES

- Added magnesium increases muscle strength.
- Balanced high level antioxidants strengthen the immune system, aid in faster recovery and lessens muscle soreness following intense exercise.
- Added bio-available chromium enhances glucose utilisation and reduces lactic acid accumulation.
- Live yeast culture improves fibre, phosphorus and calcium digestibility and promotes beneficial bacteria in the hindgut.
- Can be mixed with concentrate rations of performance diets when additional nutrient fortification is needed.
- An ideal source of nutrients for performance horses, which easily hold their weight but still require superior nutrition.

## OTHER SPECIALITY USES

### HORSES ON DIETS BASED ON PASTURE AND ROUGHAGE

- **All Phase Balancer**, which is fed on its own, balances essential amino acids, vitamins and trace minerals in a convenient low dose for horses on roughage only diets.

### GOOD DOERS

- Fed to top up protein, vitamin and mineral intake when feeds are fed below recommended levels.
- Can be fed alone to mature and easy keeping horses.

### HORSES WITH REDUCED CALORIE REQUIREMENTS (E.G. OBESE OR LAMINITIC HORSES)

- Fed as sole source of nutrients.

### USED AS AN OATS BALANCER CONCENTRATE

- Can be mixed with top quality oats or other unfortified grain to provide the correct balance of nutrients at a ratio of one part pellets to three parts oats (by weight). When fed in this ration, the balanced finished feed will average approximately 14% protein.
- The proportion of oats to pellets may be varied, allowing flexibility in protein levels being fed.

# ALL PHASE BALANCER IN A RACING PROGRAMME

Comprehensive ALL PHASE BALANCER: Daily feeding guide

<b>TWO-YEAR-OLD – EARLY TO MEDIUM TRAINING</b>			
Expected Mature Body weight	400 kg	500 kg	600 kg
All Phase Balancer (kg)	1.25 - 1.5	1.5 - 1.75	1.75 - 2
Lucerne hay or chaff (kg)	2.75 - 3.5	3 - 3.5	3.5 - 4.25
Oat or grass hay/chaff (kg)	2.75 or ad lib	4 or ad lib	4.75 or ad lib
Grain (oats and/or maize) (kg)	1.75 - 2	2.5 - 3	3 - 3.5
<b>TWO-YEAR-OLD – MEDIUM TO STRENUOUS TRAINING</b>			
Expected Mature Body weight	400 kg	500 kg	600 kg
All Phase Balancer (kg)	1.75	1.75 - 2	2 - 2.25
Lucerne hay or chaff (kg)	2.75 - 3.25	3 - 3.5	3.5 - 4.25
Oat or grass hay/chaff (kg)	2.75 or ad lib	4 or ad lib	4.75 or ad lib
Grain (oats and/or maize) (kg)	1.75 - 2	2.5 - 3	3 - 3.5
<b>THREE-YEAR-OLD &amp; OLDER – EARLY TO MEDIUM TRAINING</b>			
Body weight	400 kg	500 kg	600 kg
All Phase Balancer (kg)	1.25 - 1.5	1.5 - 1.75	1.75 - 2
Lucerne hay or chaff (kg)	2.5 - 3	3 - 3.5	2
Oat or grass hay/chaff (kg)	4 or ad lib	4.5 or ad lib	5.5 or ad lib
Grain (oats and/or maize) (kg)	1.75 - 2	2.5 - 3	3 - 3.5
<b>THREE-YEAR-OLD &amp; OLDER – MEDIUM TO STRENUOUS TRAINING</b>			
Body weight	400 kg	500 kg	600 kg
All Phase Balancer (kg)	1.5	1.75 - 2	2
Lucerne hay or chaff (kg)	2.5 - 3	3 - 3.5	3.5 - 4
Oat or grass hay/chaff (kg)	4 or ad lib	5 or id lib	6.5 or ad lib
Grain (oats and/or maize) (kg)	2.5 - 3	2.75 - 3.5	3.5 - 4

- Quantities above are a guide only.
- Roughage (hay, chaff, pasture) should be fed at 1 - 1.5% of body weight.
- Total daily feed (concentrate + roughage) should be 2 - 3% of body weight depending on age, workload and climate.

#### Feed specifications (as fed)

Crude Protein	(minimum) – 25%
Crude Fat	(minimum) – 3%
Crude Fibre	(minimum) – 8.5%
Calcium	(minimum) – 3.6%
Phosphorus	(minimum) – 2%
Copper	(minimum) – 180 mg/kg
Selenium	(minimum) – 2.3 mg/kg
Manganese	(minimum) – 240 mg/kg
Zinc	(minimum) – 440 mg/kg
Vitamin A	(minimum) – 40 000 IU/kg
Vitamin D	(minimum) – 6300 IU/kg
Vitamin E	(minimum) – 500 mg/kg



For horse related questions contact Debbie Dick on  
 Debbie.Dick@rcfloods.com or info@epol.co.za or 076 755 5164.  
 For more information about Epol specific feeds and services, visit  
[www.epol.co.za](http://www.epol.co.za)