

SEMI-COMPLETE RUMINANT FEED

CLASS: Complete Cattle Feed

REG. NO. ACT 36/1947: V501

Multipurpose cattle feed for a variety of applications. Can be used for fattening cattle after the prescribed adaptation period.



COMPOSITION

NUTRIENT	MIN/MAX	QUANTITY	UNIT
Protein	Min	130	g/kg
Protein Ex NPN	Max	30	%
Urea	Max	11.32	g/kg
Moisture	Max	120	g/kg
Fibre	Max	200	g/kg
Fat	Min/Max	25 / 70	g/kg
Calcium	Min/Max	10 / 12	g/kg
Phosphorus	Min	3	g/kg
Magnesium	Min	2.5	g/kg
Sulphur	Min	2	g/kg
Potassium	Min	10	g/kg
Copper	Min	43.5	mg/kg
Manganese	Min	276	mg/kg
Zinc	Min	276	mg/kg
Cobalt	Min	3.75	mg/kg
Iodine	Min	3.75	mg/kg
Selenium	Min	1.56	mg/kg
Vitamin A	Min	9000	IU/kg
ME (Calculated)	Min	8	MJ/kg

INGREDIENT STATEMENT:

This animal feed contains: Grain and grain by-products, animal protein products, plant protein products, roughages and agro-industrial by-products, sugar can by-products, oils and fats, amino acids, vitamins and minerals, antioxidants, binders, acidity regulators, flavouring agents, aroma enhancing agents, compounds of trace elements, digestibility enhancers and gut flora stabilizers. This product contains genetically modified ingredients.

NOTE:

This farm feed is available with or without registered stock remedies. See bag tag for details and feed strictly according to given instructions below.

UREA CAUTION

This farm feed contains feed grade UREA and/or other NPN sources and must therefore be fed strictly according to the instructions for use.

NPN WARNING

1. Vinegar is an effective remedy against NPN poisoning. Mix with an equal amount of water. Dose half a bottle per calf or large sheep or 2 – 4 bottles per head of cattle. (1 bottle = 750ml).
2. Protect this farm feed against rain. NPN is soluble and animals drinking such a solution could be poisoned.
3. Do not feed this farm feed indiscriminately with other NPN containing farm feed. Consult an animal scientist.
4. Adaption: When changing from a NPN-free meal to a NPN-containing meal it is advisable to feed a 50/50 mixture over a period of 4 – 6 days.

FEEDING RECOMMENDATIONS:

- Feed ad lib with hay available for the first two weeks.
- Adapt again if animals were without feed for six hours.
- This farm feed must be fed ad lib.
- Ensure feed troughs are always full.
- Always add roughages when feeding this pellet



For more detailed feeding recommendations contact an Epol Technical Advisor.

