ELITE RAM, LAMB & EWE

CLASS: Sheep ewe and Lamb Feed

REG. NO. ACT 36/1947: V31078

A production pellet with a nutrient profile ideally situated for dry and lactating ewes, rams and wethers suited to intensive lambing systems and pregnant or lactating ewes on pastures.



| COMPOSITION | | | |
|--|---------|----------|------|
| NUTRIENT | MIN/MAX | QUANTITY | UNIT |
| Protein (Of which a maximum of 30.06% originates from NPN) | Min | 150 | g/kg |
| Moisture | Max | 120 | g/kg |
| Fibre | Max | 200 | g/kg |
| Fat | Min/Max | 25/80 | g/kg |
| Calcium | Min/Max | 10/12 | g/kg |
| Phosphorus | Min | 3 | g/kg |
| Urea | Max | 10 | g/kg |

INGREDIENT STATEMENT:

This animal feed contains: Grain and grain by-products, sugar cane by products, plant protein products, oils and fats, amino acids, NPN Sources, minerals, vitamins, antioxidants, flavourants, binders, acidity regulators, and enzymes. This product contains genetically modified ingredients.

NOTE: UREA CAUTION:

This farm feed is available with or without registered stock remedies. See bag tag for details and feed strictly according to given instructions below.

This farm feed contains feed grade UREA and/or other NPN sources and must therefore be fed strictly according to the instructions for use.

NPN WARNING:

- 1. Vinegar is an effective remedy against NPN poisoning. Mix with an equal amount of water. Dose half a bottle per calf or large sheep or 2 4 bottles per head of cattle. (1 bottle = 750ml).
- 2. Protect this farm feed against rain. NPN is soluble and animals drinking such a solution could be poisoned.
- 3. Do not feed this farm feed indiscriminately with other NPN containing farm feed. Consult an animal scientist.
- 4. Adaption: When changing from a NPN-free meal to a NPN-containing meal it is advisable to feed a 50/50 mixture over a period of 4 6 days.

FEEDING RECOMMENDATIONS:

After adaptation feed to lambs and ewes and/or rams at a rate of 300-500 g/head/day on lucerne pastures or at 500-1000 g/head/day on harvested fields.



